	<u>_</u>	
	Application No.	Applicant(s)
	10/814,822	BASELMANS ET AL.
Notice of Allowability	Examiner	Art Unit
	D. Rutledge	2851
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the Preliminary Amendment filed 3/30/05.		
2. The allowed claim(s) is/are <u>1-71</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
i,		
		•
	·	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Notice of Informal P	Patent Application (PTO-152)
Notice of Preferences Cited (1 10-032) Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
	Paper No./Mail Da	te
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 09/04 	08), 7. ☐ Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
	9.	

DETAILED ACTION

Preliminary Amendment

1. A Preliminary Amendment was received on 30 March 2005.

Declaration

An executed combined Declaration and Power of Attorney was received on 16
 August 2005.

Drawings

3. The drawings filed on 01 April 2004 are acceptable for examination.

Allowable Subject Matter

- 4. Claims 1 71 are allowed.
- 5. The following is an examiner's statement of reasons for allowance: the prior art does not teach using the measuring arrangement in which a second supply supplies a second liquid to the claimed location and the measurement is taken through the second liquid.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/814,822

Art Unit: 2851

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Takahashi (US Pat. No. 5,610,683) and Suwa (US Pat. No. 5,825,043) disclose a lithographic apparatus having immersion exposure and a measuring, but not arranged as claimed. Nei et al. (US Pub. No. 2005/0219489) has an immersion exposure lithographic apparatus, but teaches that the measuring is not done through a liquid.

Response Data

Any inquiry concerning this communication or earlier communications from the examiner should be directed to D. Rutledge whose telephone number is (571) 272-2127. The examiner can normally be reached on Mon - Thurs, 6:00 AM - 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/814,822

Art Unit: 2851

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

D. Rutledge

Primary Examiner Art Unit 2851

dr 11/14/05